

4483

BOARD DIPLOMA EXAMINATION, (C-14)

MARCH/APRIL-2019

DME - FOURTH SEMESTER EXAMINATION

PRODUCTION DRAWING PRACTICE

Time: 3 Hours]

[Max. Marks : 60

PART-A

5X4=20M

Instructions:1) Answer **all** questions.

2) Each question carries **five** marks.

- 1) Determine the limit dimensions for a clearance fit between the mating diameter of 30 mm, providing a minimum clearance of 0.10 mm, with the tolerance on the hole equal to 0.02 mm, and on the shaft, 0.06 mm. Follow shaft basis system.
- 2) What are the surface Roughness Grade Number and Roughness Grade Symbol for surfaces with Roughness Values $50\mu\text{m}$, $25\mu\text{m}$, $3.2\mu\text{m}$, $0.4\mu\text{m}$, $0.1\mu\text{m}$
- 3) Give the meaning of the following designations
 - a) X15Cr25Ni12
 - b) Fe470W
 - c) 30C5B0
 - d) Hex Bolt M20 X 1.5 X 75 NN, IS: 1364-S-4.6
 - e) Oil Seal A 25 X 40 X 7, IS: 5129
- 4) Explain microfilming process.

*

PART-B

Instructions: 1) Answer any **one** question.

2) Each question carries **forty** marks, Choose Suitable scale.

5) Study the given assembly drawing of Eccentric given in the fig. 1
(20+8+3+4+5M)

- (a) Draw the component drawing for all parts.
- (b) Prepare the process sheet for strap (part No.1)
- (c) Prepare bill of material
- (d) Indicate the recommended surface roughness values for the straps and sheave.
- (e) Indicate suitable tolerances wherever needed. Mention the type of fit between the mating parts
 - (i) Straps and sheave and
 - (ii) Sheave and Shaft.




Fig.1(Eccentric)

- 6) Study the given assembly drawing of foot Step Bearing given in the (fig. 2) (20+8+3+4+5M)
- Draw the component drawing for parts 1,3,5 and 6.
 - Prepare the process sheet for Cover
 - Prepare bill material
 - Indicate the recommended surface roughness values where necessary.
 - Indicate suitable tolerances wherever needed. Mention the type of fit between the mating parts
 - Shaft and Radial Ball Bearing
 - Shaft and Thrust Ball Bearing.




Fig.2 (Foot step Bearing)

* * *