



c09-c-407

**3428**

**BOARD DIPLOMA EXAMINATION, (C-09)**

**OCT/NOV—2016**

**DCE—FOURTH SEMESTER EXAMINATION**

**CIVIL ENGINEERING DRAWING—II**

*Time* : 3 hours ]

[ *Total Marks* : 60

**PART—A**

4×5=20

**Instructions** : (1) Answer **all** questions.

(2) Each question carries **four** marks.

(3) Any missing data may be assumed suitably.

(4) Part—A need not be drawn to a scale.

1. Sketch the plan showing the pier of a bridge with semicircular cut and ease waters.
2. Draw the half-sectional elevation of the slab culvert of single span showing the abutment, deck slab, wearing coat, parapet, etc.
3. Draw the plan of a square RCC overhead tank with the following data :

Size of tank = 4 m × 4 m × 1.5 m

Thickness of RCC side walls = 200 mm

Thickness of RCC base/floor slab = 200 mm

Thickness of RCC roof slab = 110 mm

Size of RCC column = 400 mm × 400 mm

No. of RCC column = 4 (one at each corner)

Size of RCC brace beams = 400 mm × 350 mm

Size of ring beam = 400 mm × 400 mm

Spacing of brace beams = 3.0 m C/C

Size of footing at base = 1.6 m × 1.6 m

/3428

1

[ *Contd...*

[WWW.MANARESULTS.CO.IN](http://WWW.MANARESULTS.CO.IN)

4. Sketch the cross section of the tank bund which has top width 2.5 m, TBL = +58.00 and bottom level of bund i.e. stripped level = +48.00; GL = +48.50; side slopes = 2:1 on either side.
5. Draw the cross section of a barrel of the tank sluice with the following data :
- Vent way = 0.90 m wide × 0.75 m deep  
Width of the masonry side wall = 0.50 m at top  
= 0.75 m at bottom  
Foundation : Thickness of CC bed = 0.45 m with 0.3 m offset  
Covering slab thickness = 0.15 m

**PART—B**

25+15=40

**Instructions** : (1) Answer **all** questions.

(2) Any missing data may be assumed suitably.

(3) Part—B need to be drawn to a scale.

6. Draw the longitudinal section of a septic tank to a convenient scale from the given specifications : 25

Internal dimensions = 2750 mm × 900 mm

Brick masonry wall thickness = 230 mm

Thickness of CC bed = 300 mm

CC offset for masonry walls = 300 mm

Depth of water = 1000 mm

Free board = 300 mm

Thickness of RCC roof panels = 100 mm and width 450 mm fitted with bent handles for lifting

Scum board = RCC precast slab 75 mm thick fixed at a height of 300 mm from floor level and extending up to a height 150 mm below the roof. This shall be fixed at a distance of 900 mm from inside of wall at inflow end into a groove 75 mm deep

Standing baffle = RCC precast slab 75 mm thick kept on floor at a distance of 600 mm from inside of wall at out flow end. The top of baffle shall be 150 mm below water level

Inflow and outlet pipes = 100 mm dia. tee shaped pipes

Vent pipe = 50 mm dia. pipe with a cowl extending to a height of 2.0 m above GL

Masonry pedestal = 450 mm dia. circular brick masonry pedestal shall be provided around the vent pipe up to GL

General ground level = 300 mm above top of RCC precast roof panels

7. Draw the longitudinal section of a canal drop to a scale of 1:50 from the following specifications :

15

1. *Canal particulars :*

	U/S	D/S
Ground level at the site	+120.600	+120.600
Bed level	+120.000	+118.600
FSL	+120.500	+119.100
Canal bund level (CBL)	+121.100	+121.100
Canal bed width	1.60 m	1.30 m
Canal bund width	1.00 m	1.00 m
Canal slopes in cutting	1:1	1:1
Level of 1.0 m wide berm	+120.600	+120.600
Slopes in embankment :		
Water face	1.5:1	1.5:1
Rear face to connect GL	2:1	2:1

2. *Body wall :*

Top level	= +120.000
Bottom level	= CC foundation top level = +118.600
CC foundation level	= +117.850
Top width	= 600 mm
Bottom width	= 120 mm with U/S face vertical
Length	= 8.5 m
Width of CC foundation	= 1.80 m with equal offset

3. *Notch wall or Notch pier :*

Thickness of notch wall	= 450 mm
Top level of notch wall	= CBL = +121.100
No. of notches	= 1
Shape	= Rectangle
Sill level of notch	= U/S bed level
Width of notch	= 1.0 m

4. *CC apron on D/S of drop :*

CC apron shall be provided in continuation with CC bed under body wall with same thickness. Length of CC apron from the edge of CC bed under body wall is 2.75 m

Top level of CC apron	= +118.600
Bottom level of CC apron	= +117.850

5. *Rough stone bed pitching* :

On U/S : Bed pitching consists of 300 mm size stone boulders to a length of 1.5 m including toe.

On D/S : Bed pitching consists of 300 mm size stone boulders to a length of 3.5 m including toe.

6. *Revetment to canal slopes* :

U/S : Revetment is provided to the sides of canal from bed level to FSL to a length of 2.8 m. A slope of 1:1 is given at the end of revetment to connect the revetment with bed level.

D/S : Revetment starts from canal bund level at the notch wall and is taken to a level of +120.500 (FSL on U/S) at the end of CC apron in an inclined direction

From the end of CC apron, revetment is continued at the same level (+120.500) up to the end of rough stone bed pitching and vertically dropped to the level of +119.50.

From this point revetment is continued at the same level for a distance of 3.0 m.

Rough stone boulders of size 300 mm are used for revetment to canal slopes.

\*\*\*

\*