

*
c14-c-507

4623

BOARD DIPLOMA EXAMINATION, (C-14)

MARCH/APRIL—2021

DCE - FIFTH SEMESTER EXAMINATION

CIVIL ENGINEERING DRAWING - II

Time : 3 hours]

[Total Marks : 60

PART—A

5×4=20

- Instructions :** (1) Answer *any four* questions.
(2) Each question carries **four** marks.
(3) Need not be drawn to scale.
(3) Any missing data may be assumed suitably.


1. Draw the plan of a two-span (each 3.0 m) RCC T-beam bridge and label the components.
2. Draw the cross-section of a pipe in pipe culvert with the following data :
Internal dia of CC pipe = 1000 mm, External diameter = 1200 mm,
Bedding for the pipe = 250 mm, CC Benching for the pipe = 300 mm,
CC Width of both bedding and benching = 1800 mm, Bottom level of
CC bedding = +50.00, No. of pipes = one.
3. Draw the plan of a septic tank from the following specifications :
Internal diameter = 3.50 m × 1.20 m × 1.20 m, Brick masonry wall
thickness = 230 mm, CC offset for masonry walls = 300 mm. Scum
board and baffle wall of 100 mm thick are provided at 900 mm from
the inlet and outlet end walls respectively.

/4623

1

[Contd...
*

4. Name the parts numbered from 1 to 5 of the pipe culvert as shown in figure.



5. Draw the longitudinal section of a canal drop and name the parts.

6. Sketch the barrel of a tower head sluice from the following data :

Vent way = 0.90 m wide \times 0.75 m deep

Width of barrel side wall = 0.5 m at top and 0.75 m at bottom

Foundation with CC = -0.45 m thick with 0.3 m offset

RCC slab over barrel = 150 mm thick

7. Draw the cross-section of a wash basin fixed to the wall at a height of 750 mm with the following data :

Height of the room = 3000 mm

Slab thickness = 150 mm

Size of wash basin = 600 mm \times 400 mm

*

PART—B

- Instructions :** (1) Answer **all** questions.
(2) Figures in the margin indicate marks.
(3) Any missing data may be assumed suitably.
(3) This part needs to be drawn in the given scale.

- 8.** Draw the sectional elevation of a square RCC overhead tank with the following data to a scale of 1: 50. 25

Height of the tank (from GI to bottom of the tank, i.e., top of floor slab or base slab) = 9 m

Size of tank = 4 m × 4 m × 2 m

Thickness of RCC side walls = 200 mm

Thickness of RCC base slab = 200 mm

Thickness of RCC roof slab = 100 mm

Size of RCC column = 400 mm × 400 mm

No. of RCC columns = 4 Nos (one at each corner)

Size of RCC brace beams = 300 mm × 300 mm

Spacing of brace beams = 3·0 m/cc

Depth of RCC footing below ground level = 1·5 m

Size of footing at base = 1·5 m × 1·5 m

Thickness of footing at column face = 500 mm

Thickness of footing at the end = 200 mm

Thickness of levelling course below the footing = 200 mm

Dia. of inflow pipe = 200 mm Dia. of outflow pipe = 150 mm

Dia. of scour pipe = 100 mm, Size of manhole cover = 600 mm × 450 mm

Overflow pipe at the bottom level of roof slab = 100 mm. Show the pipe connections, ladder and ventilating arrangements.

OR

/4623

3

[Contd...

*

9. Draw the following views of a septic tank to a scale of 1 : 20 from the

given specifications :

10+15=25

(a) Plan

(b) Longitudinal section

Specifications :

Internal dimensions = 900 × 2750 mm

Brick masonry wall thickness = 230 mm

Thickness of CC bed = 500 mm

CC Offset for masonry walls = 300 mm

Depth of water = 1000 mm

Free board = 300 mm

Thickness of RCC roof panels = 100 mm and width 450 mm

fitted with bent handles for lifting.

Scum board = RCC precast slab 75 mm thick fixed at a height of 300 mm from floor level and extending up to a height 150 mm below roof. This shall be fixed at a distance of 900 mm from inside of wall at inflow and into a groove 75 mm deep.

* **Standing baffle** = RCC precast slab 75 mm thick kept on floor at a distance of 600 mm from inside of wall at outflow end. The top of baffle shall be 150 mm below water level.

Inflow and outlet pipes = 100 mm dia. T-shaped pipes Vent pipe = 50 mm dia. A.C pipe with cowl extending to a height of 2.0 m above G.L.

Masonry pedestal = 450 mm dia. Circular brick masonry pedestal shall be provided around the vent pipe up to GL. **General ground level** = 300 mm above top of RCC precast roof panels.

10. Draw the longitudinal section of canal drop showing the following parts (need not be drawn to scale)

15

- (a) Notch wall/pier
- (b) U/S revetment to canal slopes
- (c) CBL & GL U/S
- (d) U/S & D/S toe walls
- (e) Body wall
- (f) CC apron D/S
- (g) Rough stone bed pitching D/s
- (h) CC bed under body wall
- (i) FSL on both sides
- (j) Bed level and ground level D/S

OR

11. Sketch the section of a homogeneous tank bund with the following data :

15

- Top width = 1.2 m
- T.B.L = + 62.00
- G.L = + 58.00
- Stripped G.L = + 57.60
- Free board = 1 m
- Side slopes = 11/2 : 1 on U/S & 2 : 1 on D/S
- * Key trenches = 0.6 m × 1.2 m @ 4.0 m C/C
- Revetment = 300 mm size rough stone over 150 mm thick Gravel backing.
- Toe drain = 1 m bed width and 1 m below GL with 1 : 1 side Slopes.

Toe wall under revetment = 1.0 m wide and 1.2 m deep

★ ★ ★