C20-C-CM–401

# 7424

**BOARD DIPLOMA EXAMINATION, (C-20)**

**JUNE/JULY—2022**

**DACE – FOURTH SEMESTER EXAMINATION**

ENGINEERING MATHEMATICS-III

*Time* : 3 hours ] [ *Total Marks* : 80

## PART—A

3×10=30

**Instructions :** (1) Answer **all** questions.

(2) Each question carries **three** marks.

**1.** Solve $\left(D^2+1\right)y=0$

**2.** Solve $\left(D^2+4D+6\right)y=0$

**3.** Find the particular integral of differential equation $\left(D^2-4D+8\right)y=e^{-x}$.

**4.** Find the particular integral of differential equation $\left(D^2-16\right)y=\sin 2x$.

**5.** Find $L\left\{2e^{-7t}+5t^3+2\sinh 2t\right\}$.

**6.** Find $L\left\{e^{-t}\cos 2t\right\}$.

**7.** Find $L^{-1}\left\{\frac{1}{s^2+4s+20}\right\}$.



www.manaresults.co.in

8. Write down the Fourier series expansion of a function $f(x)$ in the interval $(-1,1)$. Give the corresponding formulae for finding the coefficients.

9. Obtain the value of "$b_n$" in Fourier series expansion of $f(x)=\cos x$ in the interval $-\pi < x < \pi$.

10. Obtain the value of "$a_0$" in the half range cosine series expansion of $f(x)=3x+1$ in the interval $0 < x < 2$.

## PART—B

8×5=40

**Instructions :** (1) Answer either *(a)* **or** *(b)* from *each* questions from part-B.
(2) Each question carries **eight** marks.

11. *(a)* Solve $\left(D^4 - D^3 - 9D^2 - 11D - 4\right)Y = 0$

**( OR )**

*(b)* Solve $\left(D^2 - 3D + 2\right)y = \left(e^x + 1\right)^2$

12. *(a)* Solve $\left(D^2 + 5D - 6\right)y = \sin 4x \sin x$

**( OR )**

*(b)* Solve $\left(D^2 + 4\right)y = x^2 + 3$

13. *(a)* Find $L\left(f(t)\right)$ if $f(t) = \begin{cases} 1, & 0 < t < 2 \\ 2, & t > 2 \end{cases}$

**( OR )**

*(b)* Evaluate $L\left\{t\left(\sin t + \cos t\right)\right\}$



www.manaresults.co.in

**14.** *(a)* Evaluate $L\left\{\frac{\cos at - \cos bt}{t}\right\}$

**( OR )**

*(b)* Evaluate $L^{-1}\left\{\frac{s+1}{s^2+6s-7}\right\}$

**15.** *(a)* Find $L^{-1}\left\{\frac{s}{(s-1)(s-2)}\right\}$

**( OR )**

(b) Find $L^{-1}\left\{\frac{s}{\left(s^2+1\right)^2}\right\}$ by using convolution theorem.

## PART—C

10×1=10

**Instructions :** (1) Answer the following question.

(2) The question carries **ten** marks.

**16.** Find the Fourier series for $f(x) = x^2$ in the interval $(0, 2\pi)$.

***



www.manaresults.co.in