

MATHEMATICS-III

(Common to All Branches)

Time: 3 hours**Max. Marks: 70**

Question Paper Consists of **Part-A** and **Part-B**
 Answering the question in **Part-A** is Compulsory,
 Three Questions should be answered from **Part-B**

PART-A

- 1.(i) Write down the properties of orthogonal matrix.
- (ii) Write the nature of $2y_1^2 + 4y_2^2 + 5y_3^2$.
- (iii) If A and B are non-singular matrices of same order, show that AB and BA have same eigen values.
- (iv) Find the area of loop of the curve $r^2 = a^2 \cos 2\theta$
- (v) Find the moment of inertia of a circle A of radius R relative to the centre O.
- (vi) Evaluate $\int_0^\infty \frac{x^6(1-x^{10})dx}{(1+x)^{24}}$
- (vii) If F is a conservative vector field show that $\text{curl } F = 0$.
- (viii) Write down the physical interpretation of Green's theorem.

[3+3+3+3+3+2+3+2]

PART - B

- 2.(a) Reduce the matrix $\begin{bmatrix} 1 & 0 & -3 & 2 \\ 0 & 1 & 4 & 5 \\ 1 & 3 & 2 & 0 \\ 1 & 1 & -2 & 0 \end{bmatrix}$ to normal form and find its rank.

- (b) Solve, by Gauss-Seidal method, the equations

$$9x - 2y + z - t = 50$$

$$x - 7y + 3z + t = 20$$

$$-2x + 2y + 7z + 2t = 22$$

$$x + y - 2z + 6t = 18.$$

[8+8]

3. Diagonalise the matrix $A = \begin{bmatrix} 3 & -1 & 1 \\ -1 & 5 & -1 \\ 1 & -1 & 3 \end{bmatrix}$ and hence find A^4 .

[16]

- 4.(a) Find the volume of solid generated by the revolution of the cardioid $r = a(1 + \cos \theta)$ about $\theta = 0$.

- (b) Evaluate $\iint_R (\sqrt{xy} - y^2) dx dy$ where R is triangle with vertices at (0,0), (10,1), (1,1).

[8+8]

- 5.(a) Show that $\int_0^1 x^3 \left[\log \left(\frac{1}{x} \right) \right]^4 dx = \frac{3}{128}$.

- (b) Prove that $\int_0^4 \sqrt{x}(4-x)^{\frac{3}{2}} dx = 64\beta\left(\frac{3}{2}, \frac{5}{2}\right)$.

[8+8]

6.(a) Find the angle between the surfaces $x^2 + y^2 + z^2 = 9$ and $z = x^2 + y^2 - 3$ at the point $(2, -1, 2)$

(b) Prove that $\nabla \left[\nabla \cdot \frac{\vec{r}}{r} \right] = \frac{-2}{r^3} \vec{r}$

[8+8]

7.(a) Use Stokes theorem to evaluate the integral $\int_C \mathbf{A} \cdot d\mathbf{r}$ where $\mathbf{A} = 2y^2\mathbf{i} + 3x^2\mathbf{j} - (2x + z)\mathbf{k}$, and C is the boundary of the triangle whose vertices are $(0, 0, 0)$, $(2, 0, 0)$, $(2, 2, 0)$

(b) Find the workdone in moving a particle in the force field $\mathbf{F} = 3x^2\mathbf{i} + y\mathbf{j} + z\mathbf{k}$ along the straight line from $(0, 0, 0)$ to $(2, 1, 3)$

[8+8]

I B. Tech II Semester Regular Examinations August - 2014

MATHEMATICS-III

(Common to All Branches)

Time: 3 hours

Max. Marks: 70

Question Paper Consists of **Part-A** and **Part-B**
 Answering the question in **Part-A** is Compulsory,
 Three Questions should be answered from **Part-B**

PART-A

- 1.(i) Express $\begin{bmatrix} 3 & 7 \\ 4 & 5 \end{bmatrix}$ as sum of a symmetric and skew-symmetric matrices.
- (ii) When does a non homogeneous system consistent?
- (iii) Define the latent root and latent vector.
- (iv) Find the volume of a sphere of radius 'a'.
- (v) Find the moment of inertia of a hallow sphere about a diameter. Its external and internal radii being 5 meters and 4 meters.
- (vi) Evaluate $\int_0^\infty \sqrt{x}e^{-x^3} dx$
- (vii) If **A** is a vector function, find Div (Curl **A**)
- (viii) Write down the physical interpretation of Stoke's theroem.

[3+2+3+3+3+3+3+2]

PART - B

- 2.(a) Reduce the matrix $\begin{bmatrix} 3 & 1 & 4 & 6 \\ 2 & 1 & 2 & 4 \\ 4 & 2 & 5 & 8 \\ 1 & 1 & 2 & 2 \end{bmatrix}$ to Echelon form and find its rank.

- (b) Solve, by LU Decomposition method, the equations

$$\begin{aligned} x + 2y + 3z &= 10 \\ 3x + y + 2z &= 13 \\ 2x + 3y + z &= 13. \end{aligned}$$

[8+8]

3. Verify Cayley-Hamilton theorem for $A = \begin{bmatrix} 2 & -1 & 0 \\ 3 & 1 & -1 \\ 2 & 0 & 3 \end{bmatrix}$ and hence find A^{-1} .

[16]

- 4.(a) Find the length of the loop of the curve $3ay^2 = x(x - a)^2$
- (b) Find the volume of the solid generated by the revolution of the cardioid $r = a(1 + \cos\theta)$ about the initial line $\theta = 0$.

[8+8]

- 5.(a) Show that $\int_0^1 [x \log(x)]^3 dx = \frac{-3}{128}$.

- (b) Evaluate $4 \int_0^\infty \frac{x^2 dx}{1+x^4}$ using $\beta - \Gamma$ functions.

[8+8]

6. (a) Find the work done in moving a particle in the force field $\mathbf{F} = 2x^2\mathbf{i} + (2yz - x)\mathbf{j} + y\mathbf{k}$ along the space curve $x = 3t^2, y = t, z = 3t^2 - t$ from $t=0$ to $t=1$.
- (b) Prove that $\text{curl}(\mathbf{a} \times \mathbf{b}) = \mathbf{a} \text{ div } \mathbf{b} - \mathbf{b} \text{ div } \mathbf{a} + (\vec{\mathbf{b}} \cdot \nabla)\mathbf{a} - (\mathbf{a} \cdot \nabla)\mathbf{b}$
- 7.(a) Verify the divergence theorem for $\mathbf{F} = 4xy\mathbf{i} - y^2\mathbf{j} + xz\mathbf{k}$, over the cube bounded by $x = 0, x = 1, y = 0, y = 1, z=0$ and $z = 1$.
- (b) Evaluate $\iint_S \mathbf{A} \cdot \mathbf{n} \, ds$ where $\mathbf{A} = yz\mathbf{i} + zx\mathbf{j} + xy\mathbf{k}$ and S is the part of the sphere $x^2 + y^2 + z^2 = 9$ which lies in the first octant.

[8+8]

I B. Tech II Semester Regular Examinations August - 2014

MATHEMATICS-III

(Common to All Branches)

Time: 3 hours

Max. Marks: 70

Question Paper Consists of **Part-A** and **Part-B**
 Answering the question in **Part-A** is Compulsory,
 Three Questions should be answered from **Part-B**

PART-A

- 1.(i) Define rank of a matrix.
 - (ii) Write the nature of $-3y_1^2 - 2y_2^2 - y_3^2$
 - (iii) Find the matrix of the quadratic form $q = x^2 - 6xy + 3y^2$.
 - (iv) Find the length of the arc $ay^2 = x^3$ from the vertex to the ordinate $x=5a$.
 - (v) Find the moment of inertia of a circle A of radius R relative to the centre O.
 - (vi) Define β and Γ functions and write the relation between them.
 - (vii) Show that $V = 3y^4z^2i + 4x^3z^2j + 6x^2y^3k$ is solenoidal.
 - (viii) Write down the physical interpretation of Gauss's divergence theorem.
- [3+3+3+3+3+2+3+2]

PART - B

- 2.(a) Find the inverse of a matrix $\begin{bmatrix} -1 & -3 & 3 & -1 \\ 1 & 1 & -1 & 0 \\ 2 & -5 & 2 & -3 \\ -1 & 1 & 0 & 1 \end{bmatrix}$, using elementary operations.
- (b) If consistent, solve the system of equations


$$\begin{aligned} x + y + z + t &= 4 \\ x - z + 2t &= 2 \\ y + z - 3t &= -1 \\ x + 2y - z + t &= 3. \end{aligned}$$

[8+8]
- 3.(a) Find the latent values and latent roots of the matrix $A = \begin{bmatrix} 2 & 1 & 1 \\ 2 & 3 & 4 \\ -1 & -1 & -2 \end{bmatrix}$.
- (b) Verify Cayley-Hamilton theorem and hence find A^{-1} if $A = \begin{bmatrix} 3 & 1 & 1 \\ -1 & 5 & -1 \\ 1 & -1 & 3 \end{bmatrix}$.

[8+8]
- 4.(a) Find the perimeter of the cardioids $r = a(1 - \cos \theta)$.
- (b) Find the moment of inertia of the area bounded by the curve $r^2 = a^2 \cos 2\theta$ about its axis.

[8+8]
- 5.(a) Evaluate $\int_0^\infty 3^{-4x^2} dx$.
- (b) Evaluate $\int_0^a x^4 \sqrt{a^2 - x^2} dx$.

[8+8]



6. (a) Find the directional derivative of $\phi(x, y, z) = xy^2 + yz^2$ at the point $(2, -1, 1)$ in the direction of $i + 2j + 2k$
- (b) Prove that $Div(A \times B) = B \cdot curl A - A \cdot curl B$ [8+8]
- 7.(a) Evaluate using the divergence theorem $\iint_S (\mathbf{F} \cdot \mathbf{n}) d\mathbf{s}$ where S is the surface of the sphere $x^2 + y^2 + z^2 = b^2$ in the first octant and $\mathbf{F} = yi + zj + xk$
- (b) If $\mathbf{A} = (3xy - 2y^2)i + (x - y)j$, evaluate $\int_C \mathbf{A} \cdot d\mathbf{r}$ along the curve C in xy -plane given by $y = x^3$ from the point $(0, 0)$ to $(2, 8)$ [8+8]

Subject Code: R13202/R13

I B. Tech II Semester Regular Examinations August - 2014

MATHEMATICS-III

(Common to All Branches)

Time: 3 hours**Max. Marks: 70**

Question Paper Consists of **Part-A** and **Part-B**
 Answering the question in **Part-A** is Compulsory,
 Three Questions should be answered from **Part-B**

PART-A

- 1.(i) Show that $\begin{bmatrix} -1 & 1 & -1 \\ 3 & -3 & 3 \\ 5 & -5 & 5 \end{bmatrix}$ is idempotent.
- (ii) When does the non homogeneous system consistent?
- (iii) Define positive definite, negative definite and indefinite.
- (iv) Find the volume of a sphere of radius 'a'.
- (v) Find the surface area of the solid generated by the revolution about the x-axis of the area bounded by the curves $y = f(x)$, the x-axis the ordinates $x = a$, $x = b$.
- (vi) Define Gamma function and Beta function and write the relation between them.
- (vii) Find the normal to the surface $x^2 + y^2 + 2z^2 = 26$ at the point (2, 2, 3)
- (viii) Write the statement of Green's theroem.

[3+3+3+3+3+2+3+2]

PART - B

- 2.(a) If $A = \begin{bmatrix} 1 & -1 & -1 & 2 \\ 4 & 2 & 2 & -1 \\ 2 & 2 & 0 & -2 \end{bmatrix}$, find two non-singular matrices P and Q such that PAQ is in the normal form.

- (b) Test for consistency and solve

$$5x + 3y + 7z = 4$$

$$3x + 26y + 2z = 9$$

$$7x + 2y + 10z = 5.$$

[8+8]

3. Reduce the quadratic form $q = x_1^2 + 2x_2^2 + 3x_3^2 + 4x_1x_2 - 2x_2x_3 + 6x_3x_1$ into a canonical form by diagonalising the matrix of the quadratic form.

[16]

- 4.(a) Trace the curve $y = \frac{x^2+2x}{x+1}$.

- (b) Find the volume of the solid generated by the revolution of the curve $xy^2 = 4(2 - x)$ about y-axis.

[8+8]

- 5.(a) Evaluate $\int_0^2 x^7(16 - x^4)^{10} dx$.

- (b) Evaluate $4 \int_0^\infty \frac{x^2 dx}{1+x^4}$ using $\beta - \Gamma$ functions.

[8+8]

6. (a) Show that the vector $[(x^2 - yz)i + (y^2 - zx)j + (z^2 - xy)k]$ is irrotational and find the scalar potential.
(b) Find the acute angle between the surface $xy^2z = 2$ and $x^2 + y^2 + z^2 = 6$ at the point $(2, 1, 1)$. [8+8]
- 7.(a) Verify the divergence theorem for $\mathbf{F} = 4xyi - y^2j + xzk$, over the cube bounded by $x = 0, x = 1, y = 0, y = 1, z = 0$ and $z = 1$.
(b) Evaluate $\iint_S (\mathbf{curl} \mathbf{A}) \cdot \mathbf{n} \, ds$ where $\mathbf{A} = yi + (x - 2z)j - xyk$ and S is the surface of the sphere $x^2 + y^2 + z^2 = 4$ above the xy -plane. [8+8]